

Compact Filters

VariCel® HVXL

Product Overview

- Best in class Total Cost of Ownership filter
- More media area than ever, provides lowest resistance and longest filter lifetime
- Dual density media - maximum dust holding capacity extends the life of the filter, minimizing operating costs
- Excellent performance in difficult operating conditions
- Can be used in high velocity systems, operating at up to 3.8 m/s (750 FPM)



Specification

EN779	M6 - F9
ASHRAE 52.2	MERV 11 - 15
ISO 16890	ePM10 65%, ePM1 50%, 70%, 80%
Filter depth (mm)	440
Media type	Fibreglass
Frame Material	Plastic
Separator Style	Hot Melt
Special Size Available	No
Antimicrobial Available	Optional
Header Type	Single header
Recommended Final Resistance	450 Pa
Max Operating Temperature	70°C

Product Information

Part Number	Nominal Size Inches (W x H x D)	Actual Size mm (W x H x D)	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
<b>M6 / MERV 11 / ePM10 65%</b>				
M336-076-003	24 x 12 x 17	592 x 287 x 440	1,700	50
M336-076-002	24 x 20 x 17	592 x 490 x 440	2,800	
M336-076-001	24 x 24 x 17	592 x 592 x 440	3,400	
<b>F7 / MERV 13 / ePM1 50%</b>				
M336-077-003	24 x 12 x 17	592 x 287 x 440	1,700	60
M336-077-002	24 x 20 x 17	592 x 490 x 440	2,800	
M336-077-001	24 x 24 x 17	592 x 592 x 440	3,400	
<b>F8 / MERV 14 / ePM1 70%</b>				
M336-078-003	24 x 12 x 17	592 x 287 x 440	1,700	70
M336-078-002	24 x 20 x 17	592 x 490 x 440	2,800	
M336-078-001	24 x 24 x 17	592 x 592 x 440	3,400	
<b>F9 / MERV 15 / ePM1 80%</b>				
M336-079-003	24 x 12 x 17	592 x 287 x 440	1,700	80
M336-079-002	24 x 20 x 17	592 x 490 x 440	2,800	
M336-079-001	24 x 24 x 17	592 x 592 x 440	3,400	

COMPACT FILTERS

AAF has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.

www.aafintl.com



Bringing clean air to life: